

## Banana Plugs/Connectors-SFB 10



These top end Banana Plugs/Connectors are based on the WBT 0600 design. Turned from a Solid Copper block these gold plated robust connectors offer the purist signal delivery. The knurled sleeve features a polished ruthenium finish with a color band to for channel differentiation. The plug is designed with an expanding inner spike that ensures a solid mechanical fit in turn offering high contact pressure. This results in 0 signal loss. Termination is done using unique dual mechanical M3 screws for a secure crimp connection as well as cable strain relief.

The most important feature of this connector that makes it unique and places it leagues ahead of the competition is the method in which the speaker cable is crimped, covered and sealed. Once crimping is done the ruthenium polished sleeve tightens over the body simultaneously activating the expanding spike. This also ensures that the Copper from the speaker cable is sealed off from the atmosphere thus preventing its degradation over time. It is precisely this feature that allows for the purist signal passage over time.

Wires upto 8AWG or 10mm<sup>2</sup> are accepted by the connector

Please Note: This is a serious connector and not to be mistaken for local plugs

### Features

- Gold plated Cu connectors
- Unique Expanding spike lockable design
- Collar with polished black ruthenium
- Wires Upto 9mm
- Independent screws for tightening jacket as well as signal wire

## RCA Plug Female SFR 10



A Diyer's delight. This top end RCA plug features a OFC construction in this dual prism spring loaded contact. The Socket tightens from the outside using the included mounting nut. It comes with insulated key hole slotted washer that prevents rotation of the plug. Design is based on the WBT 0201 rca socket

Can accommodate plates upto 5mm thick

Please Note: this is a serious Taiwanese connector and not to be mistaken with MX offerings

## RCA Plug Male Neutrik(Rean)



A Dyer's delight. This top end RCA plug features a pure brass construction in this dual prism spring loaded contact. The Socket tightens from the outside using the included mounting nut. It comes with insulated slotted washer that prevents signal earth contact due to mistakes in soldering. Design is based on the WBT 0201 rca socket. Rather than buying unknown brands a tried and tested neutrik always works well

**Feature:** Eutectic cast brass central pin

**Wire connection :** Solder

**Main body:** Brass with gold plated for excellent connectivity

**Collet:** Metal alloy with Matt black ruthenium finish

**Max wire Diameter :** 9 mm

**Brand:** Neutrik AG

## **Binding Posts Dayton Audio BPF1**



---

### ***Quick Overview***

These high-quality 5-way binding posts offer audiophile features at a reasonable price. The fully insulated design prevents the accidental shorting of speaker wires. A free-spinning metal ferrule on the tightening knob allows a secure connection without any tendency to work loose. No corners are cut here. The post is copper with gold plating

### ***Product Highlights***

- Copper with Gold plating
- Keyhole slot prevents post from rotating even when overtightening
- Suitable for Bananas and raw cable upto 4AWG
- Fully-polycarbonate insulated 5-way binding post prevents possibility of short circuits
- Tightening knob's free-spinning metal ferrule facilitates a secure connection
- screw lockable cabinet and crossover end connection
- Suitable for any cabinet panel with a keyed 11.5 mm hole and 25 mm thread length
- Gold finish; sold in red/black pairs